IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Hanada and Yang

Art Unit: Not yet assigned

Filed: Herewith

For: FIBROBLAST GROWTH FACTOR-5 (FGE

5) IS A TUMOR ASSOCIATED T-CELL

ANTIGEN

Examiner: Not yet assigned

Date: March 27, 2002



<u>INFORMATION DISCLOSURE STATEMENT</u> <u>PURSUANT TO 37 C.F.R. § 1.97(b)(2)</u>

COMMISSIONER FOR PATENTS WASHINGTON, DC 20231

Listed on the accompanying form PTO-1449 and enclosed herewith are several English-language documents. Applicants respectfully request that these documents be listed as references cited on the issued patent.

Applicants filed this Information Disclosure Statement ("IDS") within three months of the date of entry of the national stage as set forth in § 1.491 in an international application. As a result, no fee should be required to file this IDS. However, if the Patent Office determines that a fee is required for Applicants to file this Information Disclosure Statement, please charge any such fees, or credit overpayment, to Deposit Account No. 02-4550. A duplicate copy of this Information Disclosure Statement is enclosed.

Respectfully submitted,

Registration No

KLARQUIST SPARKMAN, LLP

One World Trade Center, Suite 1600

121 S.W. Salmon Street Portland, Oregon 97204

Telephone: (503) 226-7391 Facsimile: (503) 228-9446

			Docket: 4239-62489		App:			
	INFORMATION DISCLOSURED STATEMENT			Applicant: Ken-Ichi Hanada and James C. Yang				
	BY APPLICANTS JAN 3 0 2006			Filed: Herewith		Art Unit:		
		The same of the sa	PEN	T DOCUMENTS		I		
Init.*	Number	Date		Name	Clas	s	Sub	Filed
	5,155,217	10/13/1992	Gc	oldfarb et al.				
	5,192,537	3/9/1993	Os	band				
	5,238,916	8/24/1993	Go	oldfarb et al.				Walleton and Pales and Pal
	5,759,535	6/2/1998	Со	hen				
	5,837,233	11/17/1998	Gr	anger				
	5,874,254	2/23/1999	Im	amura et al.				
	5,919,459	7/6/1999	Na	cy et al.				
	5,935,818	8/10/1999	Isra	aeli et al.				
	5,939,526	8/17/1999	Ga	ugler et al.				
		FOREIGN	PAT	ENT DOCUMENTS				
	Number	Date		Country	Clas	s	Sub	
	10-017599	20-01-98	Jap	pan				
	WO 90/12597	01.11.90	PC	Т				
	WO 97/30155	21.08.97	PC	Т				
_	WO 97/33602	18.09.97	PC	Т				
	WO 98/32456	30.07.98	PC	Т				
	WO 99/13912	25.03.99	PC'	Т				
EXAMINER:			DATE					
	niner: Initial if considered, conformance and not cons				09; drav	v lin	e through	ı cite if

ANDODMA TION DIGGL OCKOON			Docket: 4239-62489		App:		
	INFORMATION DISCLOSURED E STATEMENT BY APPLICANT JAN 3 0 2006			Applicant: Ken-Ichi Hanada and James C. Yang			
ВУ				Filed: Herewith		Art Unit:	
FORTHWATENT DOCUMENTS							
	Number Date			Country	Class	Sub	
wo	WO 99/55861		PC	Т			
wo	WO 00/24756		PC	Т			
		OTH	ER I	DOCUMENTS			
	Genbank Accession No. NM_004464.						
	Genbank Accession No. NP_004455.						
	Genbank Accession No. M23534 M21617.						
	Genbank Accession No. M37825.						
	Albino et al., "Induction of Growth Factor RNA Expression in Human Malignant Melanoma: Markers of Transformation," Cancer Res. 51: 4815-4820 (1991).						
	Altorki et al., "Characterization of Cell Lines Established from Human Gastric-Esophageal Adenocarcinomas," Cancer 72:649-657 (1993).						
	Belldegrun et al., "Human Renal Carcinoma Line Transfected With Interleukin-2 and/or Interferon α Gene(s): Implications for Live Cancer Vaccines," J. Natl. Cancer Inst. 85:207-216 (1993).						
EXAMINER:	EXAMINER:			DATE			
*Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy.							

THE OPIN A PROMED TO SERVE OF THE OPIN OF	Docket: 4239-62489	App:			
INFORMATION DISCLOSURE STATEMENT	Applicant: Ken-Ichi Hanada and James C. Yang				
BY APPLICANT JAN 3'0 2006	Filed: Herewith	Art Unit:			
ER DOCUMENTS					
Definition of a Common Antig	Bernhard et al., "Cellular Immune Response to Human Renal-Cell Carcinomas: Definition of a Common Antigen Recognized by HLA-A2-Restricted Cytotoxic T-Lymphocyte (CTL) Clones," Int. J. Cancer 59:837-842 (1994).				
1 1 1 1	Bernhard et al., "Tumor Associated Antigens in Human Renal Cell Carcinoma: MHC Restricted Recognition by Cytotoxic T Lymphocytes," <i>Tissue Antigens</i> 48:22-31 (1996).				
	Brandle et al., "A Mutated HLA-A2 Molecule Recognized by Autologous Cytotoxic T Lymphocytes on a Human Renal Cell Carcinoma," <i>J. Exp. Med.</i> 183:2501-2508 (1996).				
Human Renal Cell and Colon	Brossart et al., "Her-2/neu-Derived Peptides are Tumor-Associated Expressed by Human Renal Cell and Colon Carcinoma Lines and are Recognized by in Vitro Induced Specific Cytotoxic T Lymphocytes," Cancer Res. 58:732-736 (1998).				
Clones Isolated from Periphera	Brouwenstijn et al., "Renal-Cell Carcinoma-Specific Lysis by Cytotoxic T-lymphocyte Clones Isolated from Peripheral Blood Lymphocytes and Tumor-Infiltrating Lymphocytes," Int. J. Cancer 68:177-182 (1996).				
1 1 1	Brouwenstijn et al., "Definition of Unique and Shared T-Cell Defined Tumor Antigens in Human Renal Cell Carcinoma," <i>J. Immunother.</i> 21:427-434 (1998).				
	Caignard et al., "In Situ Demonstration of Renal-Cell-Carcinoma-Specific T-Cell Clones," Int. J. Cancer 66:564-570 (1996).				
Autoimmunogenic Cancer-Tes	Chen et al., "Genomic Cloning and Localization of CTAG, a Gene Encoding an Autoimmunogenic Cancer-Testis Antigen NY-ESO-1, to Human Chromosome Xq28," Cytogenet. Cell Genet. 79:237-240 (1997).				
; ; ; · · · ·	Chen et al., "A Testicular Antigen Aberrantly Expressed in Human Cancers Detected by Autologous Antibody Screening," <i>Proc. Natl. Sci. USA 94</i> :1914-1918 (1997).				
EXAMINER:	DATE				
*Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy.					

XNIVO YN A ATT	ION DIGGLOSVIDES	Docket: 4239-62489	App:			
i e e e e e e e e e e e e e e e e e e e	TEMENT REP E ROOM	Applicant: Ken-Ichi Hanada and James C. Yang				
BY A	PPLICANT JAN 3 0 2006 \$	Filed: Herewith	Art Unit:			
	A OTHER I	DOCUMENTS				
	Clements et al., "Activation of Fibroblast Growth Factor (FGF) Receptors by Recombinant Human FGF-5," Oncogene 8:1311-1316 (1993).					
1 1 1	Cullen et al., "Growth Factor Messenger RNA Expression by Human Breast Fibroblasts from Benign and Malignant Lesions," Cancer Res. 51:4978-4985 (1991).					
	Eisenthal et al., "Human Tumor Cells, Modified by a Novel Pressure/Crosslinking Methodology, Promote Autologous Lymphocyte Proliferation and Modulate Cytokine Secretion," Cancer Immunol. Immunother. 46:304-310 (1998).					
	Gaugler et al., "A New Gene Coding for an Antigen Recognized by Autologous Cytolytic T Lymphocytes on a Human Renal Carcinoma," <i>Immunogenetics</i> 44:323-330 (1996).					
	Goldfarb et al., "Expression and Possible Functions of the FGF-5 Gene," Ann. NY Acad. Sci. 638:38-52 (1991).					
	Haub et al., "Expression of the Fibroblast Growth Factor-5 Gene in the Mouse Embryo," <i>Development 112</i> :397-406 (1991).					
M	Hannon et al., "Differentially Expressed Fibroblast Growth Factors Regulate Skeletal Muscle Development through Autocrine and Paracrine Mechanisms," J. Cell Biol. 132:1151-1159 (1996).					
	Hughes et al., "Evidence that Fibroblast Growth Factor 5 is a Major Muscle-Derived Survival Factor for Cultured Spinal Motoneurons," <i>Neuron</i> 10:369-377 (1993).					
T	Jäger et al., "Simultaneous Humoral and Cellular Immune Response against Cancer-Testis Antigen NY-ESO-1: Definition of Human Histocompatibility Leukocyte Antigen (HLA)-A2-Binding Peptide Epitopes," <i>J. Exp. Med.</i> 187:265-270 (1998).					
EXAMINER:		DATE				
*Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy.						

YUTODIA ETION DYGGY OF THE	Docket: 4239-62489	App:				
INFORMATION DISCLOSURE E STATEMENT	Applicant: Ken-Ichi Hanada and James C. Yang					
BY APPLICAN JAN 3 0 2006	Filed: Herewith	Art Unit:				
CAMPEN THER	THER DOCUMENTS					
	Jäger et al., "Strategies for the Development of Vaccines to Treat Breast Cancer," Recent Results Cancer Res. 152:94-102 (1998).					
	Kirkin et al., "Melanoma-Associated Antigens Recognized by Cytotoxic T Lymphocytes," APMIS 106:665-679 (1998).					
1 1 1	Kitaoka et al., "Distribution of FGF-5 in the Rhesus Macaque Retina," Invest. Ophthalmol. Vis. Sci. 35:3189-3198 (1994).					
Overexpressed in Human Pane	Kornmann et al., "Fibroblast Growth Factor-5 Stimulates Mitogenic Signaling and is Overexpressed in Human Pancreatic Cancer: Evidence for Autocrine and Paracrine Actions," Oncogene 15:1417-1424 (1997).					
	Lee et al., "NY-ESO-1 May be a Potential Target for Lung Cancer Immunotherapy," Cancer J. Sci. Am. 5:20-25 (1999).					
RAGE-1, PRAME, and Gycor	Neumann et al., "Heterogeneous Expression of the Tumor-Associated Antigens RAGE-1, PRAME, and Gycoprotein 75 in Human Renal Cell Carcinoma: Candidates for T-Cell-Based Immunotherapies?," Cancer Res. 58:4090-4095 (1998).					
Parmiani, "Future Perspectives Cancer 34:S42-S47 (1998).	Parmiani, "Future Perspectives in Specific Immunotherapy of Melanoma," Eur. J. Cancer 34:S42-S47 (1998).					
Ovarian Cancer Cell Lines wit	Ramakrishna et al., "Generation and Phenotypic Characterization of New Human Ovarian Cancer Cell Lines with the Identification of Antigens Potentially Recognizable by HLA-Restricted Cytotoxic T Cells," Int. J. Cancer 73:143-150 (1997).					
Mechanisms Involved in Down	Rivoltini et al., "Recognition of Melanoma-Derived Antigens by CTL: Possible Mechanisms Involved in Down-Regulating Anti-Tumor T-Cell Reactivity," Critical Rev. Immunol. 18:55-63 (1998).					
EXAMINER:	DATE					
*Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy.						

TO PE	Docket: 4239-62489	App:				
INFORMATION DISCLOSURE STATEMENT	Φ \	Applicant: Ken-Ichi Hanada and James C. Yang				
BY APPLICANT JAN 3 0 2008	Filed: Herewith	Art Unit:				
OTHER DOCUMENTS						
1 1 1 5 1	Wang et al., "A Breast and Melanoma-Shared Tumor Antigen: T Cell Responses to Antigenic Peptides Translated from Different Open Reading Frames," J. Immunol. 161:3596-3606 (1998).					
Cell Carcinoma Responding	Weidmann et al., "Evidence for Oligoclonal T-Cell Response in a Metastasis of Renal Cell Carcinoma Responding to Vaccination with Autologous Tumor Cells and Transfer of <i>in Vitro</i> -Sensitized Vaccine-Draining Lymph Node Lymphocytes," Cancer Res. 53:4745-4749 (1993).					
1 1 1	Werner et al., "Fibroblast Growth Factor 5-Proto-Oncogene is Expressed in Normal Human Fibroblasts and Induced by Serum Growth Factors," <i>Oncogene</i> 6:2137-2144 (1991).					
1 1 1 -	Wilson et al., "Cross-Recognition of Two Middle T Protein Epitopes by Immunodominant Polyoma Virus-Specific CTL," <i>J. Immunol.</i> 162:3933-3941 (1999).					
)] [Yamanaka et al., "Expression of Fibroblast Growth Factors in Human Non-Papillary Renal Cell Carcinoma: Correlation with Tumor Progression," <i>International J. of Clin. Oncol.</i> 1999 (Abstract).					
1 1 1 1	Yoshimura et al., "Messenger Ribonucleic Acids for Fibroblast Growth Factors and Their Receptor in Bladder and Renal Cell Carcinoma Cell Lines," Cancer Lett. 103:91-97 (1996).					
	Zhan et al., "The Human FGF-5 Oncogene Encodes a Novel Protein Related to Fibroblast Growth Factors," Mol. Cell. Biol. 8:3487-3495 (1988).					
EXAMINER:	DATE					
*Examiner: Initial if considered, whether or not in not in conformance and not considered. Send cop		v line through cite if				